

# SUBMERSION PROBE HOLDER

## "PEC"

## Data Sheet

Submersion probe holder for pH / ORP Ø 12 probe, conductivity, ETORBH, EOLUM and ECDINDPT (inductive conductivity).

### PEC

|                 |              |
|-----------------|--------------|
| Electrodes      | pH, ORP Ø 12 |
| Max temperature | 80°C         |
| Material        | PP           |
| Length          | 100 cm       |

### PEC/SN6

|                       |                           |
|-----------------------|---------------------------|
| Electrodes            | SN6 Ø12 threading PG 13.5 |
| Other features as PEC |                           |

### PEC/IM

|                       |                               |
|-----------------------|-------------------------------|
| Electrodes            | conductivity (threading 3/4") |
| Other features as PEC |                               |



PEC  
PEC/SN6  
PEC/IM

### PEC2

|                 |                        |
|-----------------|------------------------|
| Elettrodi       | Ø 12 threading PG 13.5 |
| Max temperature | 60°C                   |
| Material        | PVC                    |
| Length          | 100 cm                 |

**PECAP2** immersion self-cleaning probe holder with a compressed air or water cleaning fitting operated manually or, using a LD controller, automatically.

|                        |                        |
|------------------------|------------------------|
| Electrodes             | Ø 12 threading PG 13.5 |
| Other features as PEC2 |                        |



PEC2  
PECAP2

**PECAP/SN6** immersion self-cleaning probe holder with a compressed air or water cleaning fitting operated manually or, using a LD controller, automatically.

|                      |                            |
|----------------------|----------------------------|
| Electrodes           | SN6 Ø 12 threading PG 13.5 |
| Max temp. / Pressure | 40°C / 1bar                |
| Material             | PVC-PP                     |




PECAP/SN6


# SUBMERSION PROBE HOLDER "PEC"

Data Sheet



SUBMERSION PROBE HOLDER MADE OF PP  
FOR pH / REDOX PROBES INCLUDING SN6 (PG13.5) VERSION



With system to avoid "PEC"  
removing during probe  
calibration.



Tank adapter.



# SUBMERSION PROBE HOLDER

## "PEC"

## Data Sheet


### PEC IND

|                 |          |
|-----------------|----------|
| Electrode       | ECDINDPT |
| Max temperature | 40°C     |
| Material        | PVC      |
| Length          | 100 cm   |



PEC IND

### DIMENSIONS PEC IND (in mm)



# SUBMERSION PROBE HOLDER


## "PEC"

## Data Sheet

### PEC-E

|                 |                 |
|-----------------|-----------------|
| Electrode       | ETORBH or EOLUM |
| Max temperature | 80°C            |
| Material        | PP              |
| Length          | 100 cm          |

### DIMENSION PEC E (in mm)



### PEC-E2

|                 |        |
|-----------------|--------|
| Electrode       | ETORB2 |
| Max temperature | 40°C   |
| Material        | PVC    |
| Length          | 100 cm |

### DIMENSION PEC E2 (in mm)

